

PRODUCT SCHEDULE FOR CERTIFICATE 070 CE JRI ORTHOPAEDICS LIMITED

HIP STEM (Class III)

Active Stem

Active H-AC Stem / 09mm - 16mm

Cemented Hemiarthroplasty (formally LOL 127)

Cemented Hemiarthroplasty Stem / X-X-Small - Large

Cemented Hemiarthroplasty Stem - Long / Small - Large

HAC Coated Offset Revision Stem

H-AC Femoral Revision Stem / 10mm, 200mm - 18mm, 250mm, Offset

HAC Coated Revision Stem

H-AC Femoral Revision Stem / 10mm, 200mm - 18mm, 250mm, Offset

HAC Hemiarthroplasty (formally LOL)

Furlong HAC Hemiarthroplasty Stem / 09mm - 16mm Standard Spigot

HAC Offset Revision Plus Stem

H-AC Femoral Revision-Plus Stem / 10 x 12mm, 200mm - 10 x 18mm, 250mm, Offset

HAC Offset Stem

H-AC Femoral Stem / 08mm, Offset - 18mm, Offset, 133°

HAC Revision Plus Stem

H-AC Femoral Revision-Plus Stem / 10 x 12mm, 200mm - 10 x 18mm, 250mm, Offset

HAC Stem

H-AC Femoral Stem / 08mm, Offset - 18mm, Offset, 133°

Modular Offset Revision Stem

Cemented Modular Revision Stem / Small 200mm - Large 300mm Long, Offset

Modular Offset Stem (Stainless Steel)

Cemented Modular Stem / X-X-Small, Offset - Large, Offset

Modular Revision Stem

Cemented Modular Revision Stem / Small 200mm - Large 300mm Long, Offset

Modular Stem (Stainless Steel)

Cemented Modular Stem - Standard / X-X-Small - Large

Securus ELS

Securus Modular Stem - ELS Body / 13mm 'A' 133° Neck - 16mm 'D' 133° neck, 5mm offset

Original Issue Date: 06 December 1995

Authorized Signatory:



Certificate Issue Date: 22 December 2011



PRODUCT SCHEDULE FOR CERTIFICATE 070 CE JRI ORTHOPAEDICS LIMITED

Securus Modular

Revision Cortical Locking Stepped Screw / 30mm - 55mm

Securus Body Cap / Modular - Monobloc

Securus Distal Locking Screw / 5mm x 30mm - 5mm x 70mm

Securus Modular H-AC Curved Distal Stem / 11 x 250mm - 18 x 350mm

Securus Modular H-AC Proximal Body / Size A 15/13mm, 133°, Standard Offset (41mm) - Size D 18/16mm, 133°, High Offset (41mm)

Securus Modular Locking Bolt

Securus Monobloc

Securus Monobloc H-AC Curved Revision Stem, 10° Antiversion /

11 x 250mm Left Leg Standard Offset 41mm - 12 x 50mm Right Leg High Offset 46mm

Original Issue Date: 06 December 1995

Authorized Signatory:

Certificate Issue Date: 22 December 2011

Page 2 of 11

AMTAC Certification Services Limited

Davy Avenue, Knowlhill, Milton Keynes MK5 8NL, UK

☎ Telephone +44 (0)1908 857 750, Fax +44 (0)1908 857 751, www.intertek-acsl.com Email: acsl@intertek.com
Registered No. 829615 Registered Office

PRODUCT SCHEDULE FOR CERTIFICATE 070 CE JRI ORTHOPAEDICS LIMITED

FEMORAL HEAD (Class III)

Bi-Polar Femoral Head

Femoral Head - Bipolar HN-SS / 40mm with 22.25 Internal Head - 58mm with 22.25 Internal Head

Cobalt Chrome Femoral Head

Femoral Head - CoCr / 22.25mm x Medium Neck - 36mm x Ex Long +8

Cobalt Chrome Femoral Head 14/16

Femoral Head - CoCr 14/16 Taper / 28mm x Short Neck - 32mm x Ex-Long Neck

Delta Ceramic Head

Femoral Head - Delta Ceramic / 28mm Dia x Short Neck - 44mm Dia x Ex-Long Neck

Delta Ceramic Revision Head

Femoral Revision Head (Delta Ceramic) & Sleeve / 28mm Dia Short Neck - 40mm Dia Ex-long Neck

Forte Ceramic Head

Femoral Head - Forte Ceramic / 28mm Dia x Short Neck - 36mm Dia x Long Neck

Physiological Head (SS)

Femoral Head - Physiological / 39mm Dia - 58mm Dia

Stainless Steel Femoral Head

Femoral Head - Stainless Steel / 22.25mm Dia Medium Neck - 32mm Dia Ex.Lg +8 Neck

Original Issue Date: 06 December 1995

Authorized Signatory:



Certificate Issue Date: 22 December 2011



PRODUCT SCHEDULE FOR CERTIFICATE 070 CE JRI ORTHOPAEDICS LIMITED

ACETABULAR CUP (Class III)

Cemented Acetabular Cup

Cemented Acetabular Cup / 50mm O/D x 22.25mm I/D - 62mm O/D x 36mm I/D
(HD UHMWPE)

CSF Cup

CSF Acetabular Cup / 44mm - 80mm

CSF-Plus Cup - Ceramic

CSF Plus Cup - Ceramic Liner / 44mm - 70mm

CSF-Plus Cup - UHMWPE

CSF-Plus Acetabular Cup for Polyethylene Bearings / 44mm - 70mm

CSF-Plus Revision Cup

CSF-Plus Multi Hole Revision Acetabular Cup / 54mm - 70mm

Threaded Cup

Threaded Acetabular Cup / 41mm - 62mm

Original Issue Date: 06 December 1995

Authorized Signatory:

Certificate Issue Date: 22 December 2011

Page 4 of 11

AMTAC Certification Services Limited

Davy Avenue, Knowlhill, Milton Keynes MK5 8NL, UK
Telephone +44 (0)1908 857 750, Fax +44 (0)1908 857 751, www.intertek-acsl.com Email: acsl@intertek.com
Registered No. 829615 Registered Office

PRODUCT SCHEDULE FOR CERTIFICATE 070 CE JRI ORTHOPAEDICS LIMITED

INSERT / LINER (Class III)

Ceramic liner - CSF

Ceramic Liner for CSF Acetabular Cup / 44/46mm O/D 28mm I/D - 66/70mm O/D 28mm I/D

Ceramic liner - CSF-Plus

Delta Ceramic Liner for CSF-Plus Cup / 44mm (28mm) - 64/66/68/70mm (40mm)

Ceramic liner - Threaded Cup

Ceramic Liner for Threaded Acetabular Cup / 47mm O/D 28mm I/D - 54/58/62 O/D 32mm I/D

UHMWPE liner - CSF

Hooded Polyethylene Liner for CSF Acetabular Cup / 44/46mm O/D 22.25mm I/D, 10° - 66/70mm O/D 36mm I/D, 10°

Polyethylene Liner for CSF Acetabular Cup / 44/46mm O/D 22.25mm I/D - 66/70mm O/D 36mm I/D

UHMWPE liner - CSF-Plus

Hooded Polyethylene Liner for CSF-Plus Cup / 44mm (28mm) 10° - 70mm (36mm) 10°

Polyethylene Liner for CSF-Plus Cup / 44mm (28mm) - 70mm (36mm)

UHMWPE liner - Threaded Cup

Hooded Polyethylene Liner for Threaded Acetabular Cup / 41/44mm O/D 22.25mm I/D, 10° - 54/58/62mm O/D 32mm I/D, 10°

Polyethylene Liner for Threaded Acetabular Cup / 41/44mm O/D 22.25mm I/D - 54/62mm O/D 32mm I/D

xl-UHMWPE liner - CSF-Plus

CLP-75 Liner for CSF-Plus Cup / 44mm (28mm) - 70mm (36mm)

Hooded CLP-75 Liner for CSF-Plus Cup / 44mm (28mm) 10° - 70mm (36mm) 10°

Original Issue Date: 06 December 1995

Authorized Signatory:



Certificate Issue Date: 22 December 2011



PRODUCT SCHEDULE FOR CERTIFICATE 070 CE JRI ORTHOPAEDICS LIMITED

ACCESSORIES (Class III)

Cement Plug

Bone Cement - Plug / 10mm - 20mm

CSF Bone Screw

Bone Screw for CSF Acetabular Cup / 15mm x 6.5mm x 3.5A/F - 50mm x 6.5mm x 3.5A/F

Hole plug

Plug for Polyethylene bearing CSF-Plus Cup / Central Hole - Central Hole

Bone Graft Substitute (Class III)

Repos Bone Substitute (HAC/TCP) / 5cc vial (1 - 4mm) - 50mm x 20mm x 10mm

Original Issue Date: 06 December 1995

Authorized Signatory:

Certificate Issue Date: 22 December 2011

Page 6 of 11

PRODUCT SCHEDULE FOR CERTIFICATE 070 CE JRI ORTHOPAEDICS LIMITED

SHOULDER SYSTEM (Class III)

Glenoid

Glenoid - Metal-backed / Small - Large (M8 thread)

Glenoid Cemented

Glenoid Cemented / Small 42mm diam - Large 58mm diam

Glenoid Insert

Glenoid Insert / Small 42mm - Large 58mm

Glenoid Screw

Glenoid Screw / 25mm - 40mm

Humeral Cemented

Humeral Cemented Stem / 6mm - 10mm x 220mm long

Humeral Cemented Stem / 6mm - 12mm

Humeral Cemented Stem / 8mm - 10mm x 220mm long

Humeral HAC

Glenoid - Metal-backed / Small - Large (M8 thread)

Humeral Neck (HAC) / - no suture-wire holes

Humeral Stem (HAC) / 8mm - 16mm

Shoulder Bone Screw / -

Humeral Head

Shoulder Head / 42mm Dia, +3mm offset - 54mm Dia, +6mm offset

Locking Screw

Shoulder Locking Screw Cap

Shoulder Neck taper retaining screw

Reverse Cup

Shoulder Reverse Cup

Reverse Head

Shoulder Reverse Dome (HAC) / 0 - +1.5mm

Reverse Insert

Shoulder Reverse Cup Insert / 0 - +6mm

Resurfacing Shoulder System

VAIOS Humeral Surface Replacement / 40 - 54mm

VAIOS CTA Humeral Surface Replacement / 40 - 54mm

Original Issue Date: 06 December 1995

Authorized Signatory:



Certificate Issue Date: 22 December 2011

PRODUCT SCHEDULE FOR CERTIFICATE 070 CE JRI ORTHOPAEDICS LIMITED

POWERED INSTRUMENTS (Class IIa)

Connector

Bridgeback Reamer Shaft / 12" Long AO
Chana Type Curved Reamer Handle / AO Fitting
Flexible Drill Holder / Bayonet Chuck
Hudson Adaptor / 12mm AF Hex Drive - Cannulated
Jacobs Adaptor / 12mm AF Hex Drive
Threaded Acetabular Cup Cutters / Shaft
Universal Reamer Shaft / for use with Precimed reamers
Zimmer Female Adaptor / 12mm A/F'AO' Male

Cutter

Calcar Cutter / for Furlong HAC for Rasp/Trial System - Bi-Directional

Drill

Bone Drill / 1/8" x 30mm Bayonet fitting - 1/8" x 60mm 1/8" x 60mm Bayonet fitting
Distal Hole Targeting Drill Bit / 6mm Custom tip
Extended Cement Drill 245mm long / 4.4mm Dia - 6.35mm Dia
Humeral Screw / Jacobs Shaft
Pre Drill for Humeral cutting block / Glenoid
Shoulder Drill

Reamer

Acetabular Reamer, Advanced / 40mm - 70mm
Acetabular Reamer, Advanced (Threaded Cup only) / 41mm - 62mm
Acetabular Reamer, Classic / 40mm - 70mm
Bridgeback Reamer / 44mm - 62mm
Glenoid Central Hole & Reamer
Glenoid Reamer Shaft
Helical Femoral Reamer 12mm A/F Hex / 15mm
Humeral Canal Reamer / 6mm - 16mm
IM Femoral Reamer (60°) / 07mm Dia - 18mm Dia
Intramedullary Reamer / 10mm - 18mm
MI Acetabular Reamer / 44mm - 62mm
Nitonol Flexible Reamer (Monobloc) / 8mm - 8.5mm
Nitonol Flexible Reamer Head / 9mm - 19.5mm

Original Issue Date: 06 December 1995

Authorized Signatory:



Certificate Issue Date: 22 December 2011

PRODUCT SCHEDULE FOR CERTIFICATE 070 CE JRI ORTHOPAEDICS LIMITED

TRIAL (Class IIa)

Trial Acetabular Cup

Cemented Acetabular Test Cup / 44mm - 62mm
CSF Acetabular Test Cup / 44mm - 70mm, M10 thread
Threaded Acetabular Test Cup / 41mm - 62mm

Trial Acetabular Liner

Hooded Trial Liner for CSF Acetabular Cup / 22.25mm I/D 44/46mm O/D - 36mm I/D 66/70mm O/D
Hooded Trial Liner for FRF Cup / 22.25mm I/D 46/48mm O/D - 28mm I/D 46/48mm O/D
Hooded Trial Liner for Polyethylene Bearing CSF-Plus Cup, 10° offset / 28mm ID. 44mm OD - 36mm ID. 70mm OD
Hooded Trial Liner for Threaded Acetabular Cup / 41/44mm OD 22.25mm ID - 54/58/62mm OD 32mm ID
Hooded Trial Liner for Tri-Fix Cup / 22.25mm I/D 44/46mm O/D - 35mm I/D 66/70mm O/D
Trial Liner for Ceramic Bearing CSF-Plus Cup / 44mm OD / 28mm ID - 64-68mm OD / 40mm ID
Trial Liner for CSF Acetabular Cup / 22.25mm I/D 44/46mm O/D - 36mm I/D 66/70mm O/D
Trial Liner for Polyethylene Bearing CSF-Plus Cup / 28mm ID, 44mm OD - 36mm ID, 70mm OD
Trial Liner for Threaded Acetabular Cup / 41/44 mm O/D x 22.25mm I/D - 54/58/62mm O/D x 32mm I/D

Trial Femoral Stem

Metal Head Adaptor for Trial Stem / Large (-4 neck) - Large (+4 neck)
Rasp / Trial for H-AC Active Stem / 9mm - 16mm
Rasp / Trial for H-AC Femoral Stem / 10mm Short Spigot - 12mm Short Spigot
Rasp / Trial for H-AC Revision Plus Stem / 10mm - 16mm
Trial for HAC Hemiarthroplasty Stem / 09mm (threaded spigot) - 16mm (threaded spigot)
Trial for Securus Curved Modular Distal Stem / 11 x 250mm - 18 x 300mm
Trial for Securus Monobloc Curved Distal Stem, 10° Antiversion / 11 x 250mm
Left Leg Std Offset 41mm - 12 x 250mm Right Leg High Offset 46mm
Trial for Securus Proximal Body / Size A 15/13mm, 133° Std offset - Size D 18/16mm, 133° High offset
Trial for Threaded Bolt
Trial H-AC Securus Revision Stem, 133° / 10 x 200mm, 41.0mm Offset - 16 x 200mm, 46.0mm Offset
Trial H-AC Stem with fin-cutter slot / 09mm - 18mm
Trial Hemiarthroplasty Long Stem / Small - Large
Trial Hemiarthroplasty Stem / Ex-Ex-Small (Threaded Spigot) - Large (Parallel Spigot)
Trial Stem for H-AC Revision Plus stem / 10mm x 200mm - 16mm x 250mm -

Original Issue Date: 06 December 1995 Authorized Signatory:



Certificate Issue Date: 22 December 2011

PRODUCT SCHEDULE FOR CERTIFICATE 070 CE JRI ORTHOPAEDICS LIMITED

5mm offset

Trial Stem for H-AC Stem / 08mm - 18mm - 5mm offset - no fin - standard spigot

Trial Stem for Modular Femoral Stem / Ex-Ex-Small - Large - Threaded spigot

Trial Stem for Modular Femoral Stem, Offset / Ex-Ex-Small - Large

Trial Stem for Modular Revision Stem, Offset / 200mm Small - 300mm Large

Trial Stem for Revision H-AC Femoral Stem / 10mm x 200mm - 18mm x 250mm - threaded spigot

Trial Stem for Revision-Plus H-AC Femoral Stem / 10mm x 250mm - 16mm x 250mm - threaded spigot

Trial Head

Bi-Polar Trial Head / 40mm (Black) - 58mm (Black)

Femoral Trial Head / 28mm Dia x 8 & 9mm 133°, Short Neck - 40mm Dia x Extra Long Neck, 12/16 Taper

Femoral Trial Head - H-AC Stem, Short Spigot, 5mm Offset / 28mm Dia x Modular, Short Neck - 28mm Dia x Modular, Long Neck

Femoral Trial Head for Trial Stem Parallel Bore / 22.25mm Dia x Medium Neck - 40mm Dia x Ex-Long Neck

Physiological Trial Head / 39mm (White) - 58mm (White)

Rasp Trial Metal Head Adaptor / Short Large - Extra Long Large

Trial Head for Rasp/Trial / 22.25mm Dia x Long Neck - 40mm Dia x Extra Long Neck

Trial Head for Rasp/Trial Stem, Offset, 133° / 28mm Dia x Short Neck - 40mm Dia x Ex-Long Neck

Trial Head for Securus Rasp/Trial Stem, 133° / 28mm Dia x Short Neck - 40mm Dia x Ex-Long Neck

Original Issue Date: 06 December 1995

Authorized Signatory:



Certificate Issue Date: 22 December 2011



PRODUCT SCHEDULE FOR CERTIFICATE 070 CE JRI ORTHOPAEDICS LIMITED

Trial Shoulder

Glenoid Trial (Cemented) / Small - 58mm Large

Glenoid Trial (H-AC) / Small - 58mm Small

Glenoid Trial Insert / Large - Small

Reverse Cup Trial

Reverse Cup Trial Insert / Standard Offset - 6mm Offset

Reverse Dome Trial / 0mm - 1.5mm

Trial Head / 42mm, 3mm offset - 50mm, 6mm offset

Original Issue Date: 06 December 1995

Authorized Signatory:

Certificate Issue Date: 22 December 2011

Page 11 of 11

AMTAC Certification Services Limited

Davy Avenue, Knowlhill, Milton Keynes MK5 8NL, UK

☎ Telephone +44 (0)1908 857 750, Fax +44 (0)1908 857 751, www.intertek-acsl.com Email: acsl@intertek.com
Registered No. 829615 Registered Office